

BartingtonNews

the Newsletter from Bartington Instruments

New products announced

Mag690 Three-axis Magnetic Field Sensor

This low cost fluxgate sensor is ideal for a wide variety of applications, including detection of magnetic materials, surveillance, navigation and traffic monitoring. It is available with measuring ranges of $\pm 100\mu\text{T}$, $\pm 500\mu\text{T}$ and $\pm 1000\mu\text{T}$.

Visit www.Mag690.com for further information



Magmeter Power Supply and Display Unit

The Magmeter houses a rechargeable battery pack and provides a portable power supply for Bartington magnetic field sensors. The unit also incorporates three LCD displays, which provide simple access to the real-time outputs from a connected sensor as an RMS value. Low-pass filtering (9kHz) is applied to all sensor outputs and a high-pass (0.1Hz) filter is selectable via a front panel switch.

The Magmeter operates with the widely used Mag-03 range and most other single and three-axis sensors. For more information, including price and availability email: sales@bartington.com

Mag679 and Mag649 Low Power Magnetic Field Sensors

Versions of the Mag678 Single Axis and Mag648 Three-Axis Sensors are now available with a bandwidth of 1kHz.

For further details of the new sensors, including price and availability, email sales@bartington.com.

Visit www.Mag649.com or www.Mag679.com for further information



